NOTICE

All drawings located at the end of the document.



INDUSTRIAL AREA SAMPLING AND ANALYSIS PLAN FY03 ADDENDUM #IA-03-03 IHSS GROUP 900-1



February 2003



YOUNGERUST

IA-A-001290

INDUSTRIAL AREA SAMPLING AND ANALYSIS PLAN FY03 ADDENDUM #IA-03-03 IHSS GROUP 900-1

F APPROVED JAN 3 0 2003

TABLE OF CONTENTS

| 1.0 INTRODUCTION | |
|---|----|
| 2.0 EXISTING CHARACTERIZATION INFORMATION | 1 |
| 3.0 SAMPLING | 1 |
| 4.0 REFERENCES | 3 |
| LIST OF TABLES | |
| Table 1 IASAP Addendum #IA-03-03 IHSS Groups | 1 |
| Table 2 Potential Contaminants of Concern | |
| Table 3 Sampling Specifications | 8 |
| | |
| LIST OF FIGURES | |
| Figure 1 IHSS Group 900-1 Location Map | 4 |
| Figure 2 IHSSs, PACs and UBCs Within Group 900-1 | 5 |
| Figure 3 Existing Data Above Background Mean Plus Two Standard Deviations, or | |
| Method Detection Limit | |
| Figure 4 FY03 Sampling Locations for IHSS Group 900-1, Building 991 Area | |
| Figure 5 FY03 Sampling Locations for IHSS Group 900-1, Building 993 Area | 16 |

ACRONYMS

| DAD | | 1.0 | |
|-----|-----------------|-----------|------------|
| D&D | Decontamination | and Decom | missioning |

DOE Department of Energy

FY Fiscal Year

HPGe high-purity germanium HRR Historical Release Report

IA Industrial Area

IASAP Industrial Area Sampling and Analysis Plan

IHSS Individual Hazardous Substance Site

MDL method detection limit
mg/kg milligrams per kilogram
PAC Potential Area of Concern

pCi/g picocuries per gram

PCOC potential contaminant of concern RFCA Rocky Flats Cleanup Agreement SAP Sampling and Analysis Plan UBC Under Building Contamination VOC volatile organic compound

1.0 INTRODUCTION

This Industrial Area (IA) Sampling and Analysis Plan (SAP) (IASAP) Addendum #IA-03-03 includes Individual Hazardous Substance Site (IHSS) Group-specific information, sampling locations, and potential contaminants of concern (PCOCs) for IHSS, Potential Area of Concern (PAC), and Under Building Contamination (UBC) Sites proposed for characterization during Fiscal Year (FY) 03. This IASAP Addendum is a supplement to the IASAP (DOE 2001) and includes data and proposed sampling locations for IHSS Group 900-1 and associated IHSS, PAC, and UBC Sites listed in Table 1. The locations of the IHSS Group, and IHSS, PAC, and UBC Sites proposed for sampling during FY03 are shown on Figure 1 and Figure 2, respectively.

Table 1
IASAP Addendum #IA-03-03 IHSS Groups

| IHSS Group | IHSS/PAC/UBC Sites |
|---------------|---|
| 900-1 | UBC 991, Weapons Assembly and R&D (including Vault Bldgs 996, 997, 998 and 999, and associated tunnels) |
| | Radioactive Site Building 991, IHSS 900-173 |
| | Radioactive Site 991 Steam Cleaning Area, IHSS 900-184 |
| | Building 991 Enclosed Area, PAC 900-1301 |
| | Explosive Bonding Pit, PAC 900-1307 (Bldg 993) |

2.0 EXISTING CHARACTERIZATION INFORMATION

Existing concentrations above the background mean plus two standard deviations, or method detection limit (MDL), are presented in Figure 3. Table 2 presents the PCOCs. Existing information and data for the IHSS, PAC, and UBC Sites are available in Appendix C of the IASAP (DOE 2001) and in the Industrial Area Data Summary Report (DOE 2000).

3.0 SAMPLING

The proposed sampling and analysis specifications for each IHSS, PAC and UBC Site are listed, by sample location, in Table 3. Proposed new sampling locations are shown in Figure 4 for UBC 991, IHSS 900-173, IHSS 900-184, and PAC 900-1301, and in Figure 5 for PAC 900-1307. Proposed new sampling locations are the starting point for IHSS Group characterization. After characterization starts, the number and type of samples may change based on sampling results. Changes to sampling specifications will be considered in consultation with the regulatory agencies.

Three types of sampling strategies are used to determine sampling locations: statistical, geostatistical and biased. Statistical grids have computer-generated random start points and orientations. Additionally, the grids have been extended outside the IHSS, PAC, or UBC Site to provide additional sampling locations if needed. Biased samples supplement the statistical grid locations. Geostatistical methods were not used at this IHSS Group.

Where a new sampling location overlaps or is adjacent to an existing sampling location, the existing sampling location data will be used during evaluation. Statistical sampling locations within a building footprint may be adjusted in the field to collect samples from specific building features (e.g., Location CM 42-004; refer to Table 3, footnote a).

For IHSS Group 900-1, the statistical grid size (i.e., the length between grid points) is 36 ft, except for UBC 991, where the grid size is 72 ft. Additional biased samples will be taken around Building 991 (i.e., along foundation and storm drain lines, at line junctions, within one storm drain and one storm culvert, and from an exterior drain near the east basement entrance). Soil samples near drain lines will be collected at a depth just below the lines to determine if lines have leaked and contaminants have been released (see Table 3 footnote). Samples associated with the storm drain (Location CM42-012), storm culvert (Location CN41-000), and exterior drain (Location CO42-009) will be sediment samples collected to determine if contaminants have been released to the environment.

In addition, biased samples will be taken from under the 991 Tunnel (Locations CJ43-000, CL43-004 and CM43-001), under Tunnel 996 (Locations CN43-003 and CN44-001) and under the 991 slab below from where radioactive contamination was found on the building floor (Location CM43-002) (DOE 2003). Samples will be taken where major cracks and/or concrete joints exist.

Process drains within Building 991, originating from the building laboratory on the first floor, discharged to an exterior tank that was located within PAC 900-1301. The tank was situated in a bermed, concrete, secondary-containment structure. A soil sample will be collected from under this structure (i.e., Location CN42-022). Building 991 was not connected to the Original Process Waste Line or the New Process Waste Line systems.

The Reconnaissance Level Characterization Report for Building 991 shows that the roof was not contaminated (DOE 2003). However, soil will be sampled near two roof drains (i.e., Sample Locations CN42-021 and CN42-023; refer to Table 3). In addition, because roof drains discharge to storm drain lines, sampling around storm drain lines could indicate if contaminants from the building roof have migrated into the environment.

After the asphalt has been removed from the Steam Cleaning Area (IHSS 900-184), additional sampling will be considered based on conditions revealed. For example, additional samples would be taken around any pad found under the current surface, or under any sump or drains that are found and removed. In addition, any stained area would be sampled.

Radiological swipe and core data from Decontamination and Decommissioning (D&D) characterization will be evaluated to determine whether UBC samples are required under the vault buildings and associated tunnels. No significant releases have occurred in these vaults and tunnels (DOE 1992 – 2001), and the associated concrete slabs are very thick. Based on similar investigations through slabs, it is very unlikely that soils under these structures have contaminant concentrations above RFCA Tier II action levels, if all the D&D data are below ALs. If the data indicate that samples are required, the existing grid will be expanded to cover suspect locations in consultation with the agencies and a contact record issued.

It should be noted that IHSSs 900-175 and 900-210 are predominantly surface sites and are not associated with the subsurface tunnels (i.e., UBC 991). IHSS 900-175 has been previously proposed for no further action.

For PAC 900-1307, the grid size was extended to 40 feet beyond the building footprint (i.e., to twice the length of the PAC) because explosive experiments disbursed debris outside Building 993. One biased sample will be taken from under the pit located within Building 993, estimated at approximately 6 feet below grade. All of the samples will be analyzed for radionuclides and metals, and six of the samples will also be analyzed for explosives [i.e., samples from under the pit, under the slab, and in the explosives buffer area (from each side of the building slab); refer to Table 3). If radionuclide and metal concentrations are found to be above ALs near the grid boundary, under the Building 993 slab, or under the Building 993 pit, additional samples will be taken in consultation with the agencies and a contact record issued. In addition, if explosives are detected, additional samples will be taken in consultation with the agencies and a contact record issued.

4.0 REFERENCES

DOE, 1992-2001, Historical Release Reports for the Rocky Flats Plant, Golden, Colorado.

DOE, 2000, Rocky Flats Environmental Technology Site Industrial Area Data Summary Report, Golden, Colorado, September.

DOE, 2001, Industrial Area Sampling and Analysis Plan, Rocky Flats Environmental Technology Site, Golden, Colorado, June.

DOE, 2003, Reconnaissance Level Characterization Report, Area 2, Group 2 Closure Project, Rocky Flats Environmental Technology Site, Golden, Colorado, January.

Table 2
Potential Contaminants of Concern

| IHSS Group | IHSS/PAC/UBC Site | PCOCs | Media | Sources | Sampling Type |
|---------------|---|--|---|---|---------------------------------------|
| 900-1 | UBC 991, Weapons Assembly and R&D | Uranium Plutonium Metals VOCs | Soil Beneath Slab and Around Building and Drain Lines; Sediment in Drain | HRR (DOE 1992-2001) Process knowledge (IASAP [DOE 2001]) | Statistical grid and biased locations |
| | Radioactive Site Building 991, IHSS 900-173 | Uranium Plutonium Metals VOCs | Soil Beneath Asphalt | HRR (DOE 1992-2001) Process knowledge (IASAP [DOE 2001]) | Statistical grid and biased locations |
| | Radioactive Site 991 Steam Cleaning Area, IHSS 900-184 | Uranium Plutonium Metals VOCs | Soil Beneath Asphalt and Drain Lines; Sediment in Drain | HRR (DOE 1992-2001) Process knowledge (IASAP [DOE 2001]) | Statistical grid and biased locations |
| | Building 991 Enclosed Area, PAC 900-1301 | Uranium Plutonium Metals VOCs | Soil Beneath Asphalt, Concrete Tank Containment, and Drain Lines; Sediment in Culvert | HRR (DOE 1992-2001) Process knowledge (IASAP [DOE 2001]) | Statistical grid and biased locations |
| | Explosive Bonding Pit, PAC 900-1307 | Uranium Metals Explosives | Soil Beneath And Around Building Slab And Pit | HRR (DOE 1992-2001) Process knowledge (IASAP [DOE 2001]) | Statistical grid and biased locations |

R&D research and development HRR Historical Release Report VOC volatile organic compound



Table 3

| Samr | ling | Specifications |
|------|-------|-----------------------|
| Samp | ZIIII | Specifications |

| | Sampling Specifications | | | | | | | | | | |
|---------------|-------------------------|-----------------------|-------------|------------|-----------------|----------------|---------------|------------------|------------------------------|--|--|
| IHSS Group | IHSS/PAC/UBC Site | Location Code | Easting | Northing | Media | Depth Interval | Analyte | Onsite Method | Offsite Laboratory Method | | |
| 900-1 | UBC 991 | CM42-001 | 2085293.745 | 749869.735 | Surface Soil | 0-0.5' | Radionuclides | HPGe | Alpha Spec | | |
| | | | | | Surface Soil | 0-0.5' | Metals | 6200 | 6010 | | |
| | | | | | Surface Soil | 0-0.5' | VOCs | 8260 | 8260 | | |
| | | | | | Subsurface Soil | 0.5'-2.5' | Radionuclides | HPGe | Alpha Spec | | |
| | | | | | Subsurface Soil | 0.5'-2.5' | Metals | 6200 | 6010 | | |
| | | | | | Subsurface Soil | 0.5'-2.5' | VOCs | 8260 | 8260 | | |
| | Near Door 7 | CM42-004 ^a | 2085293.557 | 749941.734 | Surface Soil | 0-0.5' | Radionuclides | HPGe | Alpha Spec | | |
| | | | | | Surface Soil | 0-0.5' | Metals | 6200 | 6010 | | |
| | | | | | Surface Soil | 0-0.5' | VOCs | 8260 | 8260 | | |
| | | | | | Subsurface Soil | 0.5'-2.5' | Radionuclides | HPGe | Alpha Spec | | |
| | | | | | Subsurface Soil | 0.5'-2.5' | Metals | 6200 | 6010 | | |
| | | | | | Subsurface Soil | 0.5'-2.5' | VOCs | 8260 | 8260 | | |
| | | CN42-005 | 2085480.712 | 749906.222 | Surface Soil | 0-0.5' | Radionuclides | HPGe | Alpha Spec | | |
| | | | | | Surface Soil | 0-0.5' | Metals | 6200 | 6010 | | |
| | | | | | Surface Soil | 0-0.5' | VOCs | 8260 | 8260 | | |
| | | | | | Subsurface Soil | 0.5'-2.5' | Radionuclides | HPGe | Alpha Spec | | |
| | | | | | Subsurface Soil | 0.5'-2.5' | Metals | 6200 | 6010 | | |
| | | | | | Subsurface Soil | 0.5'-2.5' | VOCs | 8260 | 8260 | | |
| | | CN42-007 | 2085418.452 | 749870.059 | Surface Soil | 0-0.5' | Radionuclides | HPGe | Alpha Spec | | |
| | | | | | Surface Soil | 0-0.5' | Metals | 6200 | 6010 | | |
| • | | | | | Surface Soil | 0-0.5' | VOCs | 8260 | 8260 | | |
| | | | | | Subsurface Soil | 0.5'-2.5' | Radionuclides | HPGe | Alpha Spec | | |
| | | | | | Subsurface Soil | 0.5'-2.5' | Metals | 6200 | 6010 | | |
| | | | | | Subsurface Soil | 0.5'-2.5' | VOCs | 8260 | 8260 | | |
| | | CN42-015 | 2085418.265 | 749942.059 | Surface Soil | 0-0.5 | Radionuclides | HPGe | Alpha Spec | | |
| | | | | | Surface Soil | 0-0.5 | Metals | 6200 | 6010 | | |
| | | | | | Surface Soil | 0-0.5' | VOCs | 8260 | 8260 | | |
| | | | | | Subsurface Soil | 0.5'-2.5' | Radionuclides | HPGe | Alpha Spec | | |
| | | - | | | Subsurface Soil | 0.5'-2.5' | Metals | 6200 | 6010 | | |
| | | | | | Subsurface Soil | 0.5'-2.5' | VOCs | 8260 | 8260 | | |

| IHSS Group | IHSS/PAC/UBC Site | Location Code | Easting | Northing | Media | Depth Interval | Analyte | Onsite Method | Offsite Laboratory Method |
|---------------|-------------------|---------------|-------------|------------|-----------------|----------------|---------------|------------------|---------------------------|
| | | CN42-017 | 2085356.005 | 749905.897 | Surface Soil | 0-0.5' | Radionuclides | HPGe | Alpha Spec |
| | | | | | Surface Soil | 0-0.5' | Metals | 6200 | 6010 |
| | | | | | Surface Soil | 0-0.5 | VOCs | 8260 | 8260 |
| | | | | | Subsurface Soil | 0.5'-2.5' | Radionuclides | HPGe | Alpha Spec |
| | | | | | Subsurface Soil | 0.5'-2.5' | Metals | 6200 | 6010 |
| | | | | | Subsurface Soil | 0.5'-2.5' | VOCs | 8260 | 8260 |
| | | CN43-000 | 2085480.525 | 749978.221 | Surface Soil | 0-0.5 | Radionuclides | HPGe | Alpha Spec |
| | | | , | | Surface Soil | 0-0.5' | Metals | 6200 | 6010 |
| | | | | | Surface Soil | 0-0.5' | VOCs | 8260 | 8260 |
| | | | | | Subsurface Soil | 0.5'-2.5' | Radionuclides | HPGe | Alpha Spec |
| | | | | | Subsurface Soil | 0.5'-2.5' | Metals | 6200 | 6010 |
| | | | | | Subsurface Soil | · 0.5'-2.5' | VOCs | 8260 | 8260 |
| | | CN43-002 | 2085355.817 | 749977.897 | Surface Soil | 0-0.5 | Radionuclides | HPGe | Alpha Spec |
| | | | | | Surface Soil | 0-0.5' | Metals | 6200 | 6010 |
| | | | | | Surface Soil | 0-0.5' | VOCs | 8260 | 8260 |
| | | | | | Subsurface Soil | 0.5'-2.5' | Radionuclides | HPGe | Alpha Spec |
| | | | | | Subsurface Soil | 0.5'-2.5' | Metals | 6200 | 6010 |
| | | | | | Subsurface Soil | 0.5'-2.5' | VOCs | 8260 | 8260 |
| | | CO42-000 | 2085605.419 | 749906.547 | Surface Soil | 0-0.5' | Radionuclides | HPGe | Alpha Spec |
| | | | | | Surface Soil | 0-0.5' | Metals | 6200 | 6010 |
| | | | | | Surface Soil | 0-0.5 | VOCs | 8260 | 8260 |
| · | | | | | Subsurface Soil | 0.5'-2.5' | Radionuclides | HPGe | Alpha Spec |
| | | | | | Subsurface Soil | 0.5'-2.5' | Metals | 6200 | 6010 |
| | | | | | Subsurface Soil | 0.5'-2.5' | VOCs | 8260 | 8260 |
| • | | CO42-001 | 2085543.159 | 749870.384 | Surface Soil | 0-0.5' | Radionuclides | HPGe | Alpha Spec |
| | | | | | Surface Soil | 0-0.5' | . Metals | 6200 | 6010 |
| | | | | | Surface Soil | 0-0.5' | VOCs | 8260 | 8260 |
| | | | | | Subsurface Soil | 0.5'-2.5' | Radionuclides | HPGe | Alpha Spec |
| | | | | | Subsurface Soil | 0.5'-2.5' | Metals | 6200 | 6010 |
| | | | , | | Subsurface Soil | 0.5'-2.5' | VOCs | 8260 | 8260 |
| | | CO42-006 | 2085542.972 | 749942.384 | Surface Soil | 0-0.5' | Radionuclides | HPGe | Alpha Spec |
| | | | | | Surface Soil | 0-0.5' | Metals | 6200 | 6010 |



| IHSS Group | IHSS/PAC/UBC Site | Location Code | Easting | Northing | Media | Depth Interval | Analyte | Onsite Method | Offsite Laborator Method |
|---------------|-------------------|-----------------------|---------------------------------------|------------|-------------------|----------------|---------------|------------------|-----------------------------|
| | | | · | | Surface Soil | 0-0.5' | VOCs | 8260 | 8260 |
| · - <u>-</u> | • | | | | Subsurface Soil | 0.5'-2.5' | Radionuclides | HPGe | Alpha Spec |
| | | | | | Subsurface Soil | 0.5'-2.5' | Metals | 6200 | 6010 |
| | | | | | Subsurface Soil | 0.5'-2.5' | VOCs | 8260 | 8260 |
| | Below drain line | CM42-014 ^d | 2085281.639 | 749950.832 | Subsurface Soil | 2.5'-4.5' | Radionuclides | HPGe | Alpha Spec |
| | | | | | Subsurface Soil | 2.5'-4.5' | Metals | 6200 | 6010 |
| | | | | | Subsurface Soil | 2.5'-4.5' | VOCs | 8260 | 8260 |
| | Below drain line | CM43-000 ^d | 2085324.340 | 749967.577 | Subsurface Soil | 2.5'-4.5' | Radionuclides | HPGe | Alpha Spec |
| | | | | | Subsurface Soil | 2.5'-4.5' | Metals | 6200 | 6010 |
| | | | | | Subsurface Soil | 2.5'-4.5' | VOCs | 8260 | 8260 |
| | Below drain line | CO42-007 ^d | 2085609.850 | 749955.018 | Subsurface Soil | 2.5'-4.5' | Radionuclides | HPGe | Alpha Spec |
| | | | | | Subsurface Soil | 2.5'-4.5' | Metals | 6200 | 6010 |
| | | • | | | Subsurface Soil | 2.5'-4.5' | VOCs | 8260 | 8260 |
| | Below drain line | CO42-008 ^d | 2085728.742 | 749951.669 | Subsurface Soil | 2.5'-4.5' | Radionuclides | HPGe | Alpha Spec |
| | | | | | Subsurface Soil | 2.5'-4.5' | Metals | 6200 | 6010 |
| | | | | | Subsurface Soil | 2.5'-4.5' | VOCs | 8260 | 8260 |
| , | | CO42-009 ^h | 2085575.522 | 749869.617 | Sediment in Drain | 0-0' | Radionuclides | HPGe | Alpha Spec |
| | | | | | Sediment in Drain | 0-0' | Metals | 6200 | 6010 |
| | Below drain line | CO43-001 ^d | 2085593.942 | 749998.556 | Subsurface Soil | 2.5'-4.5' | Radionuclides | HPGe | Alpha Spec |
| ····· | | | | | Subsurface Soil | 2.5'-4.5' | Metals | 6200 | 6010 |
| | | | | | Subsurface Soil | 2.5'-4.5' | VOCs | 8260 | 8260 |
| | | CJ43-000 | 2084720.626 | 750085.562 | Surface Soil | 0-0.5' | Radionuclides | HPGe | Alpha Spec |
| | | | | | Surface Soil | 0-0.5' | Metals | 6200 | 6010 |
| | | | | | Surface Soil | 0-0.5' | VOCs | 8260 | 8260 |
| | | | | | Subsurface Soil | 0.5'-2.5' | Radionuclides | HPGe | Alpha Spec |
| | | | · · · · · · · · · · · · · · · · · · · | | Subsurface Soil | 0.5'-2.5' | Metals | 6200 | 6010 |
| | | | | | Subsurface Soil | 0.5'-2.5' | VOCs | 8260 | 8260 |
| | | CL43-004 | 2084967.677 | 750086.897 | Surface Soil | 0-0.5' | Radionuclides | HPGe | Alpha Spec |
| | | | | | Surface Soil | 0-0.5' | Metals | 6200 | 6010 |
| | | | | | Surface Soil | 0-0.5' | VOCs | 8260 | 8260 |
| | | | | | Subsurface Soil | 0.5'-2.5' | Radionuclides | HPGe | Alpha Spec |
| | | ···· | | | Subsurface Soil | 0.5'-2.5' | Metals | 6200 | 6010 |



| IHSS Group | IHSS/PAC/UBC Site | Location Code | Easting | Northing | Media | Depth Interval | Analyte | Onsite Method | Offsite Laboratory Method |
|----------------|-------------------|---------------|---|------------|-------------------|----------------|---------------|------------------|------------------------------|
| | | | | | Subsurface Soil | 0.5'-2.5' | VOCs | 8260 | 8260 |
| • | | CM43-001 | 2085277.492 | 750084.226 | Surface Soil | 0-0.5' | Radionuclides | HPGe | Alpha Spec |
| | | | | | Surface Soil | 0-0.5' | Metals | 6200 | 6010 |
| | | | | | Surface Soil | 0-0.5 | VOCs | 8260 | 8260 |
| | | | | | Subsurface Soil | 0.5'-2.5' | Radionuclides | HPGe | Alpha Spec |
| | | | 1. 10 1/ - 1 | | Subsurface Soil | 0.5'-2.5' | Metals | 6200 | 6010 |
| | | /··· | | | Subsurface Soil | 0.5'-2.5' | VOCs | 8260 | 8260 |
| | | CM43-002 | 2085306.871 | 749962.704 | Surface Soil | 0-0.5' | Radionuclides | HPGe | Alpha Spec |
| | | | | | Surface Soil | 0-0.5' | Metals | 6200 | 6010 |
| | | | | | Surface Soil | 0-0.5' | VOCs | 8260 | 8260 |
| | | | | | Subsurface Soil | 0.5'-2.5' | Radionuclides | HPGe | Alpha Spec |
| | | | | | Subsurface Soil | 0.5'-2.5' | Metals | 6200 | 6010 |
| | | | | | Subsurface Soil | 0.5'-2.5' | VOCs | 8260 | 8260 |
| | | CN43-003 | 2085520.572 | 750098.214 | Surface Soil | 0-0.5' | Radionuclides | HPGe | Alpha Spec |
| | | | | | Surface Soil | 0-0.5' | Metals | 6200 | 6010 |
| | | | | | Surface Soil | 0-0.5' | VOCs | 8260 | 8260 |
| | | · · · · | | | Subsurface Soil | 0.5'-2.5' | Radionuclides | HPGe | Alpha Spec |
| | | | | | · Subsurface Soil | 0.5'-2.5' | Metals | 6200 | 6010 |
| | | | - · · - · · · · · · · · · · · · · · · · | | Subsurface Soil | 0.5'-2.5' | VOCs | 8260 | 8260 |
| | | CN44-001 | 2085497.752 | 750200.360 | Surface Soil | 0-0.5' | Radionuclides | HPGe | Alpha Spec |
| | | | | | Surface Soil | 0-0.5 | Metals | 6200 | 6010 |
| | | | | | Surface Soil | 0-0.5 | VOCs | 8260 | 8260 |
| | | | | | Subsurface Soil | 0.5'-2.5' | Radionuclides | HPGe | Alpha Spec |
| | | | | | Subsurface Soil | 0.5'-2.5' | Metals | 6200 | 6010 |
| | | | | | Subsurface Soil | 0.5'-2.5' | VOCs | 8260 | 8260 |
| | IHSS 900-173 | CM42-005 | 2085319.287 | 749866.516 | Surface Soil | 0-0.5 | Radionuclides | HPGe | Alpha Spec |
| ·, · · · · · · | | | | | Surface Soil | 0-0.5' | Metals | 6200 | 6010 |
| | | | , | | Subsurface Soil | 0.5'-2.5' | Radionuclides | HPGe | Alpha Spec |
| | | | | | Subsurface Soil | 0.5'-2.5' | Metals | 6200 | 6010 |
| | | | | | Subsurface Soil | 0.5'-2.5' | VOCs | 8260 | 8260 |
| | | CN42-020 | 2085353.895 | 749876.431 | Surface Soil | 0-0.5' | Radionuclides | HPGe | Alpha Spec |
| | <u> </u> | | | | Surface Soil | .0-0.5' | Metals | 6200 | 6010 |



| IHSS Group | IHSS/PAC/UBC Site | Location Code | Easting | Northing | Media | Depth Interval | Analyte | Onsite Method | Offsite Laboratory Method |
|---------------------------------------|---------------------------------|---|-------------|------------|---------------------|----------------|---------------|------------------|------------------------------|
| | | | | | Subsurface Soil | 2.5'-4.5' | Metals | 6200 | 6010 |
| | | | | | Subsurface Soil | 2.5'-4.5' | VOCs | 8260 | 8260 |
| | PAC 900-1301 Near roof drain | CN42-021 ^e | 2085411.616 | 749830.252 | Surface Soil | 0-0.5 | Radionuclides | HPGe | Alpha Spec |
| | | | | | Surface Soil | 0-0.5' | Metals | 6200 | 6010 |
| | | | | | Subsurface Soil | 0.5'-2.5' | Radionuclides | HPGe | Alpha Spec |
| | | | | | Subsurface Soil | 0.5'-2.5' | Metals | 6200 | 6010 |
| | | , | | | Subsurface Soil | 0.5'-2.5' | VOCs | 8260 | 8260 |
| | Under tank containment | CN42-022 ^e | 2085473.955 | 749831.614 | Surface Soil | 0-0.5 | Radionuclides | HPGe | Alpha Spec |
| | | | | | Surface Soil | 0-0.5' | Metals | 6200 | 6010 |
| | | | | | Subsurface Soil | 0.5'-2.5' | Radionuclides | HPGe | Alpha Spec |
| | | | | | Subsurface Soil | 0.5'-2.5' | Metals | 6200 | 6010 |
| | | | | | Subsurface Soil | 0.5'-2.5' | VOCs | 8260 | 8260 |
| | Near roof drain | CN42-023 ^c | 2085536.294 | 749832.976 | Surface Soil | 0-0.5' | Radionuclides | HPGe | Alpha Spec |
| - | | *************************************** | | | Surface Soil | 0-0.5' | Metals | 6200 | 6010 |
| | | · · · · · · · · · · · · · · · · · · · | | - | Subsurface Soil | 0.5'-2.5' | Radionuclides | HPGe | Alpha Spec |
| | | | · | | Subsurface Soil | 0.5'-2.5' | Metals | 6200 | 6010 |
| | | | | | Subsurface Soil | 0.5'-2.5' | VOCs | 8260 | 8260 |
| | Below drain line | CN42-024 ^d | 2085423.976 | 749795.099 | Subsurface Soil | 2.5'-4.5' | Radionuclides | HPGe | Alpha Spec |
| | | | | | Subsurface Soil | 2.5'-4.5' | Metals | 6200 | 6010 |
| | | | | | Subsurface Soil | 2.5'-4.5' | VOCs | 8260 | 8260 |
| | | CN41-000 ^b | 2085489.283 | 749743.189 | Sediment in Culvert | 0-0' | Radionuclides | HPGe | Alpha Spec |
| | | , | | · | Sediment in Culvert | 0-0, | Metals | 6200 | 6010 |
| | PAC 900-1307 | CQ42-002 | 2086086.608 | 749902.287 | Surface Soil | 0-0.5' | Radionuclides | HPGe | Alpha Spec |
| | | | | | Surface Soil | 0-0.5' | Metals | 6200 | 6010 |
| | | | | | Surface Soil | 0-0.5' | Explosives | 8330 | 8330 |
| · · · · · · · · · · · · · · · · · · · | | CQ42-003 | 2086062.411 | 749928.943 | Surface Soil | 0-0.5' | Radionuclides | HPGe | Alpha Spec |
| | | | | | · Surface Soil | 0-0.5' | Metals | 6200 | 6010 |
| | | CQ42-004 | 2086038.214 | 749955.598 | Surface Soil | 0-0.5 | Radionuclides | HPGe | Alpha Spec |
| | | | | | Surface Soil | 0-0.5' | Metals | 6200 | 6010 |
| | | | | | Surface Soil | 0-0.5' | Explosives | 8330 | 8330 |
| | | CQ42-005 | 2086121.790 | 749909.914 | Surface Soil | 0-0.5' | Radionuclides | HPGe | Alpha Spec |

| IHSS Group | IHSS/PAC/UBC Site | Location Code | Easting | Northing | Media | Depth Interval | Analyte | Onsite Method | Offsite Laborator Method |
|---|---------------------|---------------|-------------|------------|-----------------|----------------|---------------|------------------|-----------------------------|
| | | | | | Surface Soil | 0-0.5' | Metals | 6200 | 6010 |
| | | CQ42-006 | 2086097.594 | 749936.570 | Surface Soil | 0-0.5' | Radionuclides | HPGe | Alpha Spec |
| | | | | | Surface Soil | 0-0.5' | Metals | 6200 | 6010 |
| • | | CQ42-007 | 2086132.776 | 749944.197 | Surface Soil | 0-0.5' | Radionuclides | HPGe | Alpha Spec |
| | | | | | Surface Soil | 0-0.5' | Metals | 6200 | 6010 |
| | | | | | Surface Soil | 0-0.5' | Explosives | 8330 | 8330 |
| | Under building pit | CQ42-008 | 2086085.021 | 749956.466 | Subsurface Soil | 6.0-6.5' | Radionuclides | HPGe | Alpha Spec |
| | | | | | Subsurface Soil | 6.0-6.5' | Metals | 6200 | 6010 |
| | | | | | Subsurface Soil | 6.0-6.5' | Explosives | 8330 | 8330 |
| | Under building slab | CQ43-000 | 2086073.397 | 749963.225 | Surface Soil | 0-0.5 | Radionuclides | HPGe | Alpha Spec |
| | | - | | | Surface Soil | 0-0.5' | Metals | 6200 | 6010 |
| | | | | | Surface Soil | 0-0.5' | Explosives | 8330 | 8330 |
| | | CQ43-001 | 2086049.200 | 749989.881 | Surface Soil | 0-0.5' | Radionuclides | HPGe | Alpha Spec |
| | | | | | Surface Soil | 0-0.5' | Metals | 6200 | 6010 |
| | | CQ43-002 | 2086108.580 | 749970.853 | Surface Soil | 0-0.5' | Radionuclides | HPGe | Alpha Spec |
| | | | , , | | Surface Soil | 0-0.5' | Metals | 6200 | 6010 |
| | - | CQ43-003 | 2086084.383 | 749997.508 | Surface Soil | 0-0.5' | Radionuclides | HPGe | Alpha Spec |
| | | | | | Surface Soil | 0-0.5' | Metals | 6200 | 6010 |
| | | | : | | Surface Soil | 0-0.5' | Explosives | 8330 | 8330 |
| | | CQ43-004 | 2086119.566 | 750005.135 | Surface Soil | 0-0.5' | Radionuclides | HPGe | Alpha Spec |
| | | | | <u> </u> | Surface Soil | 0-0.5' | Metals | 6200 | 6010 |

^a Location CM42-004 is located to the west of Bldg 991 Door 7, which is where an interior floor channel/gutter discharges. This sample location will be adjusted as necessary to sample the area receiving any of the tunnel discharge.

^b Sediment sample.

^c Location will be adjusted as necessary to ensure that soil is collected from under the concrete tank containment.

^d Sample will be taken at a depth just below the drain line.

^e Location will adjusted as necessary to ensure that soil is collected from as close to the roof drain as possible.









